Question Booklet Sr. No. 200097 Question Booklet Series : A

PU-CET (BHMS) - 2014 Paper - II: Chemistry

Important: Please consult your Admit Card/Roll No. slip before filling your Roll Number on the Test Booklet and Answer Sheet.

Roll No.	In Figure	In Words	
O.M.R. Ansv	ver Sheet Serial No). []]]	
		Signature of the Cana	lidate
Time: 70 mir	utes Number	of Questions: 60	Maximum Marks :120

INSTRUCTIONS

- 1. Write your roll No. on the Question Booklet and also on the OMR Answer Sheet in the space provided and nowhere else.
- 2. Enter the Code No. of Question Booklet on the OMR answer Sheet. Darken the corresponding bubbles with Black Ball Point/Black Gel Pen.
- 3. Do not make any identification mark on the Answer Sheet or Question Booklet.
- 4. Please check that this Question Booklet contains 60 questions. In case of any discrepancy, inform the Assistant Superintendent within 10 minutes of the start of test.
- 5. Each question has four alternative answer (A, B, C, D) of which only one is correct. For each question, darken only one bubble (A or B or C or D), whichever you think is the correct answer, on the Answer Sheet with Black Ball Point/Black Gel Pen. Each question carries 2 marks. For every wrong answer, 25% i.e. ¼ mark allotted to the question will be deducted.
- 6. If you do not want to answer a question, leave all the bubbles corresponding to that question blank in the Answer Sheet. No marks will be deducted in such cases.
- 7. Darken the bubbles in the OMR Answer Sheet according to the Serial No. of the questions given in the Question Booklet.
- 8. If you want to change an already marked answer, erase the shade in the darkened bubble completely.
- 9. For rough work only the blank sheet at the end of the Question Booklet be used.
- 10. The Answer Sheet is designed for computer evaluation. Therefore, if you do not follow the instructions given on the Answer Sheet, it may make evaluation by the computer difficult. Any resultant loss to the candidate on the above account, i.e. not following the instructions completely, shall be of the candidate only.
- 11. After the test, hand over the Question Booklet and the Answer Sheet to the Assistant Superintendent on
- 12. In no case the Answer Sheet, the Question Booklet, or its part or any material copied/ noted from this Booklet is to be taken out of the examination hall. Any candidate found doing so would be expelled from
- 13. A candidate who creates disturbance of any kind or changes his/her seat or is found in possession of any paper possibly of any assistance or found giving or receiving assistance or found using any other unfair means during the examination will be expelled from the examination by the Centre Superintendent/Observer whose decision shall be final.
- 14. Telecommunication equipment such as pager, cellular phone, wireless, scanner, etc., is not permitted inside the examination hall. Use of calculators is not allowed.

1.	Hydro	ogen gas is i	not liberate	d when the	following n	netal is add	ed to dil. H	CI.	
	(A)	Mg	(B)	Sn	(C)	Ag	(D)	Zn	
2.	A cat	alyst is a sul	ostance, wh	nich					
	(B) Ir (C) S	ncreases the acreases the applies templiters the pat	equilibrium perature to	n constant of the reaction	of the reaction				
3.	$N_2 + 3$	many moles	2NH ₃	1870					
	(A)	4	(B)	6	(C)	2	(D)	112	
4.	Whic	h of the foll	owing char	acteristics	is not correc	t for physic	al adsorption	on?	
	(B) A (C) A	dsorption of dsorption is dsorption in	spontaneo icreases wi	us. th increase					
	(D) B	oth enthalp	y and entro	py of adsor	rption are ne	egative.			
5.	Which (A) (C)	h of the foll 1 g-atom 1/2 mole	of C	the highest	(B) (D)	3.011×10 10 mL of	0 ²³ atoms of water	foxygen	
6.	In wh	nich of the fo	ollowing do	es sulfur h	ave an oxid	ation numb	er of +7?		
	(A)	HSO ₃	(B)	SO_3	(C)	H ₂ SO ₄	(D)	$H_2S_2O_8$	
7.	The temp	rate of a cherature is ra	emical rea ised by 50°	ction doub C, the rate	les for ever	y 10°C ris on increase	e of tempers by about	erature. If	the
	(A)	64	(B)	10	(C)	24	(D)	32	
8.	(A) T (B) T (C) N	entres are — The electrons The electrons Thon equivale All of the abo	trapped in ent sites of	cation vac	ancies	nds			
9.	In a 2/3rd	compound, of tetrahed	atoms of e	lement Y fi	rom ccp latt	tice and the	ose of elem be	ent X occi	ру
	(A)	X_4Y_3	(B)	X_2Y_3	(C)	X_2Y	(D)	$X_{3}Y_{4} \\$	
10	. Hydi	oxyl ion cor	ncentration	in 1 M HC	l solution?				
	(A)	$ \begin{array}{c} 1 \times 10^{-14} \\ 1 \times 10^{-13} \\ \end{array} $	mol dm ⁻³		(B) (D)	1 ×10 ⁻¹ m 1 ×10 ⁻¹ m			
11	. How	many gram	s of NaCl a	re needed	to prepare 0	.500 L of 4.	.00 M NaC	I solution?	
	100	l grams NaC 17 grams N			(B) (D)	4.00 gran 58.5 gran			

1.	2. A cry:	stal having uni	t cell di	mensions a = b	≠ c, α	$= \beta = \gamma = 90^{\circ} \text{ is}$				
	(A) (C)	Cubic Monoclinic			(B) (D)	Tetragonal Orthorhomb	ic			
13	In whi	ich of the follo	wing en	tropy decreases	S.					
1.				tropy decrease.		17	C			
	(A) (C)	Melting of ic Freezing of v			(B) (D)	Vaporisation of camphor Sublimation of iodine				
1.4	The se	anific heat of	a acc in	icothormal pro	ones is					
14				isothermal pro		T 0	(T) (F)			
	(A) Z	Zero	(B)	Negative	(C)	Infinite	(D) R	emains constant		
15	. What l	nappens when	a cataly	st is added to a	system	at equilibrium	?			
	(A) The reaction follows an alternative pathway of lower activation energy.(B) The heat of reaction decreases.(C) The potential energy of the reactants decreases.(D) The potential energy of the products decreases.									
16		s the change is s done on the		al energy if 500	J of he	at are added to	system	and 125 J of		
	(A)	+625 J	(B)	-625J	(C)	+375J	(D)	-375J		
17	. Unde	r which circun	nstances	would a reacti	on be n	on-spontaneou	s at all t	emperatures?		
	(B) ΔI(C) ΔI	H° negative and H° negative and H° positive an	nd ΔS° n d ΔS° ne	egative egative						
18	. The on	e which decre	ases wit	h dilution is						
	(A) co	nductance			(B)	specific cond	uctance			
	(C) eq	uivalent cond	uctance		(D)	molar conduc				
19	. An iso	thermal proces	ss is gov	erned by						
	(A) (C)	Boyles law Gay Lussac la	aw		(B) (D)	Charles Law Avogadro La	w			
20.	. Work	done in a free	expansio	on process is						
	(A)	0	(B)	Minimum	(C)	Maximum	(D)	positive		
21.	Which	of the follow	ing elec	tronic configur	ration is	s not possible	accordi	ng to Hund's		
	(A)	$1s^22s^2$			(B)	$1s^22s^1$				
-	(C)	$1s^22s^22p_x^{1}2p_y$	$^{1}2p_{z}^{1}$		(D)	$1s^22s^22p_x^2$				
22	. Which	of the followi	ng has l	argest size?						
	(A)	Al	(B)	Al^+	(C)	Al^{2+}	(D)	Al^{3+}		

23.	Which of the followi	ng statements about dia	amond and graphite i	s true?				
	(A) They have same(B) They have same(C) They have same(D) They have same	degree of hardness electrical conductivity		0.000				
24.	Bakelite is a product	of the reaction between	n?					
	(A) Formaldehyde at (C) Phenol and Meth		(B) Aniline and Ure (D) Phenol	ea and Chloroform				
25.	Which of the follow	ng has coordination bo	ond?					
	(A) N ₂	(B) CaCl ₂	(C) O ₃	(D) H ₂ O				
26.	For ideal gas the con	npressibility factor is						
	(A) one	(B) zero	(C) infinite	(D) very small				
27.	For a reaction, $\Delta G =$	0, the reaction is						
	(A) spontaneous	(B) in equilibrium	(C) endothermic	(D) exothermic				
28.	Which of the follow	ing is not an extensive	property?					
	(A) internal energy (C) Gibb's free energy	gy	(B) density (D) entropy					
29.	The half life period of a first order chemical reaction is 6.93 minutes. The time required for the completion of 99% of the chemical reaction will be ($\log 2 = 0.301$)?							
	(A) 230.3 minutes (C) 46.06 minutes	9	(B) 23.03 minutes (D) 460.6 minutes					
30.	Which of the follow	ing can be shown to be	both a Bronsted acid	d and a Bronsted base?				
	(A) O ⁻²	(B) HSO ₄ ⁻¹	(C) PO ₄ -3	(D) CN ⁻¹				
31.	Propene reacts with	HBr in presence of org	anic peroxide to form	n:				
	(A) 1-Bromopropan (C) 3-Bromopropan		(B) 2-Bromopropa (D) 2-Bromoprope					
32.	The compound form	ed as a result of oxidat	ion of ethyl benzene	by KMnO ₄ is				
	(A) Acetophenone (C) Benzoic acid		(B) Benzophenone (D) Benzyl alcoho					
33.	. Alkanes can be obta	ined from carboxylic a	cids by					
	(A) toluen's reagent (C) Decarboxylation		(B) Kolbe's electro (D) Clemmensen's	The state of the s				
34	. Ozone layer protect	s us from which of the	following harmful ra	diation				
	(A) ultra-violet		(B) cosmic-rays (D) radio-wave					

33. At 0 K, the cell	potential is		
(A) 0	(B) 1	(C) ln 2	(D) E°
36. The structure of	XeF ₄ is		
(A) Square plana (C) Tetrahedral	ar	(B) Square pyran(D) Octahedral	nidal
37. One mole of whi	ich of the following has	the highest entropy?	
(A) Diamond (C) mercury		(B) liquid nitroge (D) hydrogen gas	
38. A bee sting is ac	idic. Which household s	substance will neutrali	ze a bee sting?
(A) damp bicarbo(C) lemon juice p	onate of soda pH 8 pH 5	(B) damp commo (D) vinegar pH 4	* 1 to 1 t
39. Which of the following	lowing is not an allotrop	oic form of carbon	
(A) diamond	(B) graphite	(C) fullerene	(D) hydrocarbor
40. Baking soda is			
(A) Sodium carb (C) Copper sulph		(B) Sodium bicar(D) Sodium hydro	
41. How many grams	s of H ₃ PO ₄ are in 175	mL of a 3.5 M solution	n of H ₃ PO ₄ ?
(A) 0.61	(B) 60	(C) 20	(D) 4.9
42. What is the frequ	ency of light (s ⁻¹) that	has a wavelength of 3	3.12×10 ⁻¹³ cm?
(A) 3.69	(B) 2.44×10 ¹⁶	(C) 9.62×10^{12}	(D) 4.10×10^{-17}
43. At what speed (m wavelength of 3.3	n/s) must a 10.0 mg obje 3×10 ⁻⁴¹ m ?	ect be moving to have	a de Broglie
(A) 4.1	(B) 1.9×10^{-11}	(C) 2.0×10^{12}	(D) 3.3×10^{-42}
44. Which of the foll	owing is <u>not</u> a valid set	of four quantum numl	pers? (n, l, m _l , m _s)
(A) 2, 0, 0, +1 (C) 3, 1, -1, -1		(B) 2, 1, 0, -1/ (D) 1, 1, 0, +1	2/2
45. Of the choices be	low, which gives the or	der for first ionization	energies?
(A) Cl > S > (C) Al > Si	> Al > Ar > Si > S > Cl > Ar	(B) Ar > Cl : (D) Cl > S >	
46. Of the following	elements,	has the most negative	electron gain enthalpy
(A) S	(B) C1	(C) Br	(D) I

47.	Of the	following spec	ies,	will 1	vill have bond angles of 120°.				
				ClF ₃				BCl ₃	
48.	Which	two bonds are	most si	milar in polari	y?				
	(A) O-F and Cl-F (C) Al-Cland I-Br				(B) B (D) I -	-Fand Cl-F -Brand Si-C	e Cl		
49.	In meta	allic hydrides,	the oxid	lation number	of hydro	gen is conside	ered to b	e	
	(A)	-2	(B)	-1	(C)	0	(D)	+1	
50.		carbon monox	ide is us	ed to reduce a	ore as	in a blast furn	ace, it is	s converted	
	(A) gra	phite	(B) can	rbon dioxide	(C) m	ethane	(D) c	arbonate	
51.	 The undesirable material that is separated from an ore during the concentration process is called 								
	(A) gai	ngue	(B) lea	achate	(C) sla	ag	(D) f	locculent	
52.	52. Linkage isomerism can only occur								
	 (A) in cis-isomers of octahedral complexes (B) with coordination number 6 (C) with tetrahedral complexes (D) with ligands that have more than one possible donor atom 								
53	. Based	on electron co	nfigurat	tion, which is r	nost like	ely colorless?			
	(A) [C	$\operatorname{Cu(NH_3)_4}]^{2+}$			(B) $[Cd(NH_3)_4]^{2+}$				
	(C) [N	$[i(NH_3)_6]^{2+}$			(D) $\left[\operatorname{Cr}(\operatorname{NH}_3)_5\operatorname{Cl}\right]^{2+}$				
54	. Therm	ally least stab	le carbo	nate is					
	(A) Li	₂ CO ₃	(B) Na	a ₂ CO ₃	(C) K	₂ CO ₃	(D) (Cs ₂ CO ₃	
55	. What l	happens when	Al is ad	lded to aqueou	s solutio	on of KOH?			
	(A) (C)	O ₂ is liberate H ₂ O is forme			(B) (D)	H ₂ is liberat No reaction		lace	
56	. Zeolite	es are							
	 (A) Aluminosilicate (B) Calcium aluminosilicate (C) Hydrated sodium aluminosilicate (D) A mixture of sodium, aluminium and silicon oxides 								
57	. Discre	ete SiO ₄ ⁴ - tetra	hedral a	re present in					
	(A) (C)	Cyclic silicates Pyrosilicates			(B) (D)	Orthosilicat Sheet silica			

58.	P ₄ O ₆ d	issolves in col	d water	giving H ₃ PO ₃	while in	n hot water it g	ives	
	(A) (C)	PH ₃ PH ₃ and H ₃ PO ₄			(B) (D)	H ₃ PO ₄ None of thes	e	
59.	Which	nobel gas is m	nost rea	active				
	(A)	Не	(B)	Ne	(C)	Xe	(D)	Kr
60.	Which	of these eleme	ents are	all radioactive	Ē.			
	(A) (C)	Inert gas Lanthanoids			(B) (D)	Transition Actinoids		

PU-CET (BHMS) - 2014 Paper - III: Biology

Important: Please consult your Admit Card/Roll No. slip before filling your Roll Number on the Test Booklet and Answer Sheet.

Roll No.	In Figure	In Words	
O.M.R. Ans	swer Sheet Seri	al No.	
		Signature of the Cana	lidate
Time: 70 m	inutes Nur	nber of Questions: 60	Maximum Marks:120

Number of Questions: 60

INSTRUCTIONS

- 1. Write your roll No. on the Question Booklet and also on the OMR Answer Sheet in the space provided and nowhere else.
- 2. Enter the Code No. of Question Booklet on the OMR answer Sheet. Darken the corresponding bubbles with Black Ball Point/Black Gel Pen.
- Do not make any identification mark on the Answer Sheet or Question Booklet.
- 4. Please check that this Question Booklet contains 60 questions. In case of any discrepancy, inform the Assistant Superintendent within 10 minutes of the start of test.
- 5. Each question has four alternative answer (A, B, C, D) of which only one is correct. For each question, darken only one bubble (A or B or C or D), whichever you think is the correct answer, on the Answer Sheet with Black Ball Point/Black Gel Pen. Each question carries 2 marks. For every wrong answer, 25% i.e. ¼ mark allotted to the question will be deducted.
- 6. If you do not want to answer a question, leave all the bubbles corresponding to that question blank in the Answer Sheet. No marks will be deducted in such cases.
- 7. Darken the bubbles in the OMR Answer Sheet according to the Serial No. of the questions given in the Question Booklet.
- 8. If you want to change an already marked answer, erase the shade in the darkened bubble completely.
- 9. For rough work only the blank sheet at the end of the Question Booklet be used.
- 10. The Answer Sheet is designed for computer evaluation. Therefore, if you do not follow the instructions given on the Answer Sheet, it may make evaluation by the computer difficult. Any resultant loss to the candidate on the above account, i.e. not following the instructions completely, shall be of the candidate only.
- 11. After the test, hand over the Question Booklet and the Answer Sheet to the Assistant Superintendent on
- 12. In no case the Answer Sheet, the Question Booklet, or its part or any material copied/ noted from this Booklet is to be taken out of the examination hall. Any candidate found doing so would be expelled from
- 13. A candidate who creates disturbance of any kind or changes his/her seat or is found in possession of any paper possibly of any assistance or found giving or receiving assistance or found using any other unfair means during the examination will be expelled from the examination by the Centre Superintendent/Observer whose decision shall be final.
- 14. Telecommunication equipment such as pager, cellular phone, wireless, scanner, etc., is not permitted inside the examination hall. Use of calculators is not allowed.

1.	Internal structures of plants are best preserved in							
	(A) (C)	Compressions Petrifactions		(B) (D)	Impressions Incrustations			
2.	Anthe	rozoids of <i>Dryopteri</i>	s are					
	(A) (C)	Coiled and biflagel Sickle shaped and b		(B) (D)	Coiled and multiflagellate Sickle shaped and multiflagella	ite		
3.		opment of sporophytes is known as	e from the gan	netophytic	c tissue without involving fusion	0		
	(A)	Apospory		(B)	Heterospory			
	(C)	Apogamy		(D)	Parthenogenesis			
4.	Which	one is dicot albumin	ous seed?					
	(A)	Onion		(B)	Pea			
	(C)	Groundnut		(D)	Castor oil			
5.	Coir o	f Cocunut is obtained	l from					
	(A)	Pericarp		(B)	Mesocarp			
	(C)	Endocarp	DI	(D)	Endosperm			
6	Which	is the correct combin	nation for type	of coroll	a aestivation?			
0.		Valvate – <i>Lathyrus</i>	8.5					
	(A) (B)	Twisted – Calotrop						
	(C)	Imbricate – Psidium	-					
	(D)	Vexillary – Pisum						
	(-)	50000000000000000000000000000000000000						
7.	Triple	t of nitrogen bases of	fanticodon are	present o	on			
	(A)	DNA (B)	mRNA	(C) t	RNA (D) rRNA			
-8.	Trans	piration is the least ir	í					
	(A)	High wind velocity Dry environment		(B) (D)	Good soil moisture High atmospheric humidity			
	(C)	Dry environment		(D)	Tigh autospheric numarty			
9	. Phyto	chrome is involved i	n					
	(A)	Phototropism		(B)	Geotropism			
	(C)	Photorespiration		(D)	Photoperiodism			
1	0. Exci	ised leaves/fruits rem	ain green/fresh	for a lon	ger period if dipped in			
	(A)	Gibberellins		(B)	Cytokinins			
	(C)	Auxins		(D)	Ethylene			

11. Chlo	11. Chlorophyll 'c' is present in members of class								
(A) (C)	Cyanophycea Phaeophycea			(B) (D)	Chlorophycea Rhodophycea				
12. Wat	er vapour exits	and car	bondioxide en	ters a lea	af through				
	Stroma Porphyrin rings	S		(B) (D)	Stomata Grana				
13. Max	imum problem	of pho	torespiration is	found in	n				
(A) (C)	C3 plants CAM plants			(B) (D)	C4 plants Heterotrophs				
	many turns of nosphoglyceral			ired to p	roduce one mol	ecule o	of		
(A)	One	(B)	Two	(C)	Three	(D)	Six		
15. The	15. The primary form of sugar transported from photosynthetic site to rest of the plant is								
(A)	Glucose	(B)	Sucrose	(C)	Fructose	(D)	Maltose		
16. Prim	ary growth invo	olves th	e activity of						
(A) (C)	Apical merist Vascular cam			(B) (D)	Lateral merist Phellogen	em			
17. The	only living elem	nent in	xylem tissue is						
(A) (C)	Wood fibres Wood parence	hyma		(B) (D)	Tracheids Vessels				
18. Nam	e of Alec Jeffer	y is ass	sociated with						
(A) (C)	DNA sequence	200		(B) (D)	DNA fingerpr Site directed n	-	nesis		
19. Head	of T4 viruses i	s norm	ally						
(A) (C)	Hexagonal Filamentous			(B) (D)	Polygonal Tetragonal				
20. A cya	anobacterium (b	olue gre	een alga) is typi	ically pr	esent in associa	tion w	ith roots of		
(A)(Cycas	(B)	Azolla	(C)	Hydrilla	(D)	Marsilea		
21. Asco	mycetes are cha	racteri	zed by the pres	ence of					
(A) (C)	Soredium Basidium			(B) (D)	Pycnidium Ascus				
22. In Fu	inaria, reduction	nal divi	sion occurs in						
(A) (C)	Antheridium Capsule			(B) (D)	Archegonium Zygote				

23. The	first transgenic	plant p	roduced is				
(A)	Tobacco	(B)	Wheat	(C)	Maize	(D)	Rice
24. A p	art of nucleic a	cid use	d to find a ger	ne by hyb	ridization is		
(A)	Vector	(B)	Clone	(C)	Probe	(D)	Cybrid
25. Lav	v of purity of g	ametes	is another nar	ne for			
(A) (C)		The state of the s		(B) (D)	Law of do Principle		ndent assortment
26. Bar	ana multiplies	by mea	ns of				
(A)	Seeds	(B)	Runner	(C)	Offsets	(D)	Rhizome
27. In A	Angiosperms tri	iple fus	ion produces				
(A) (C)				(B) (D)	Primary en Polar nucl		c nucleus
28. Ent	ry of pollen tub	e throu	gh micropyla	r end of the	he ovule is c	alled	
(A) (C)	Porogamy Mesogamy			(B) (D)	Chalazoga Syngamy	my	
29. Tra	ansfer of pollen	from o	ne flower to a	another fl	ower of the s	same plant	is called
	Autogamy Cleistogamy			(B) (D)	Xenogamy Geitonoga		
30. Ac	cording to Dar	win the	ory, the long	necked G	iraffe evolve	d because	
(B)		erred of Giraff	nly long neck e suddenly be	ed ones came lon			
31. Cel	I theory was pu	it forwa	ard by				
(A) (C)	* DEFECT NEWS		ann	(B) (D)	Sutton and Darwin an		
32. Pr	okaryotic genet	ic syste	m has				
) Neither DNA) DNA but no			(B) (D)	Both DNA Either DN		
33. Wł	nich purine is fo	ound in	RNA?				
(A)) Thymine	(B)	Cytosine	(C)	Uracil	(D)	Guanine
34. Fl	uid mosaic mod	del of co	ell membrane	was put f	forward by		
(A) Danielli and	Davson	n	(B)	Singer and		ı
10	(Corner and	Mard		(D)	Watson at	nd Crick	

35. Wh	ich of the following str	ucture is prese	nt in mi	itochondria?		
S S	Oxysomes Polysomes		(B) (D)	Quantosomes Dictyosomes		
(0)	1 ory on the s			Dietyosomes		
36. The	term heterochromatin	was coined by	,			
	Hammerling		(B)	Warburg		
(C)	Heitz		(D)	Morgan		
37. Nuc	eleolus takes part in syr	nthesis of				
(A)	rRNA (B)	tRNA	(C)	mRNA	(D)	DNA
38. Niss	sl granules are formed	from				
	SER (B)	RER	(C)	DNA	(D)	Golgi Bod
39. Qua	rantan malaria is due t	0				
(A)	Plasmodium falcipari	um	(B)	P. vivax		
(C)	P. ovale		(D)	P. malariae		
40. Mal	e cockroach differs fro	m female beca	ause of p	oresence of		
(A)	Long antennae		(B)	Anal styles		
(C)	Anal cerci		(D)	Amphids		
41. The	force operating in an e	cosystem which	ch oppos	ses unchecked g	growt	h of populat
(A)	Fecundity		(B)	Mortality		
(C)	Biotic control		(D)	Environmenta	ıl resi	stance
42. The	driving force for an ec	osystem is				
(A)	Biomass		(B)	Solar energy		
(C)	Carbohydrates in production	ducers	(D)	Producers		
43. Path	of energy in an ecosys	stem is				
(A)	Herbivores→Produce	ers-Carnivore	es→Dec	omposers		
(B)	Herbivores→Carnivo					
(C)	Producers → Carnivo Producers → Herbivo					
(D)			iles →L	ecomposers		
	aying of DDT produce	s pollution of	1795221211			
	Air and soil		(B)	Air, water an	d soil	l
(C)	Air and water		(D)	Air		
	d rain is due to increase	in atmospher				
(A)	Ozone and dust		(B)	CO ₂ and CO		

(D)

SO₂ and NO₂

(C) SO₃ and CO

46	. Bios	sphere reserv	e project	was started in	India d	uring		
	(A)	1984	(B)	1985	(C)	1986	(D)	1989
47	. 'Re	d Data Book	' provide	es data on				
	100-000	Threatened Biota of rec			(B) (D)	Red pigme Effect of re		nts on photosynthesis
48	. Ten	don connect	S					
	2.5	Bone to bo			(B) (D)	Bone to mu Muscle to r		
49.	. Wh	ich of the fol	lowing is	s not a granuloo	yte?			
	37.30	Lymphocyt Neutrophil	e		(B) (D)	Basophil Eosinophil		
50.	Wh	ich of the fol	lowing g	lands is both ex	cocrine	and endocrine	?	
	(A)	Liver	(B)	Spleen	(C)	Pancreas	(D)	Adrenal
51.	Res	piratory cent	re is situ	ated in				
		Cerebellum Hypothalan			(B) (D)	Medulla ob Cerebrum	longata	
52.	Uni	versal recipie	ent blood	group is				
	(A)	A	(B)	В	(C)	AB	(D)	O
53.	Kidn	ey stone is p	roduced	due to				
		Deposition Precipitation			(B) (D)	Crystallisati Blockage of		alates
54.	Wate	er reabsorption	n in kidı	neys is controlle	ed by			
	(A)	ADH	(B)	Aldosterone	(C)	GH	(D)	Oxytocin
55.	Duri	ng muscle co	ntraction	Į.				
	(A)	Diameter of	fibre inc	reases	(B)	Size of I-bar	nds decre	eases
	(C)	Size of A-ba	ands rem	ains the same	(D)	Size of H-zo	one beco	mes smaller
56.	Joint	between hur	nerus and	d radio-ulna is				
		Ball and soc	ket		(B)	Pivot		
	(C)	Gliding			(D)	Hinge		

57. Wh	ich of the follow	wing cra	anial nerves in	man is	both sensory ar	ia moto	Γ?
(A)	Optic	(B)	Olfactory	(C)	Trigeminal	(D)	Audito
58. Dur	ing impulse tra	nsmissi	on, nerve perm	eability	increases for		
(A)	Na^{+}	(B)	Cl'	(C)	K^{+}	(D)	Ca ²⁺
59. Dec	reased producti	on of S'	ΓH in early life	causes			
(A)	Cretinism			(B)	Dwarfism		
(C)	Acromegaly			(D)	Gigantism		
60. Dia	detes insipidus	is cause	ed by hyposecr	etion of			
(A)	Oxytocin			(B)	Thymosin		
(C)				(D)	Vasopressin		

x-x-x

PU-CET (BHMS) - 2014 Paper - I: Physics

Important: Please consult your Admit Card/Roll No. slip before filling your Roll Number on the Test Booklet and Answer Sheet.

Roll No.	In Figure	In Words	
O.M.R. Ans	wer Sheet S	erial No.	
		Signature of the Cana	didate
Time: 70 mi	nutes 1	umber of Questions: 60	Maximum Marks :120

INSTRUCTIONS

- 1. Write your roll No. on the Question Booklet and also on the OMR Answer Sheet in the space provided and nowhere else.
- 2. Enter the Code No. of Question Booklet on the OMR answer Sheet. Darken the corresponding bubbles with Black Ball Point/Black Gel Pen.
- 3. Do not make any identification mark on the Answer Sheet or Question Booklet.
- 4. Please check that this Question Booklet contains 60 questions. In case of any discrepancy, inform the Assistant Superintendent within 10 minutes of the start of test.
- 5. Each question has four alternative answer (A, B, C, D) of which only one is correct. For each question, darken only one bubble (A or B or C or D), whichever you think is the correct answer, on the Answer Sheet with Black Ball Point/Black Gel Pen. Each question carries 2 marks. For every wrong answer, 25% i.e. ¼ mark allotted to the question will be deducted.
- If you do not want to answer a question, leave all the bubbles corresponding to that question blank in the Answer Sheet. No marks will be deducted in such cases.
- Darken the bubbles in the OMR Answer Sheet according to the Serial No. of the questions given in the Question Booklet.
- 8. If you want to change an already marked answer, erase the shade in the darkened bubble completely.
- 9. For rough work only the blank sheet at the end of the Question Booklet be used.
- 10. The Answer Sheet is designed for computer evaluation. Therefore, if you do not follow the instructions given on the Answer Sheet, it may make evaluation by the computer difficult. Any resultant loss to the candidate on the above account, i.e. not following the instructions completely, shall be of the candidate only.
- 11. After the test, hand over the Question Booklet and the Answer Sheet to the Assistant Superintendent on duty.
- 12. In no case the Answer Sheet, the Question Booklet, or its part or any material copied/ noted from this Booklet is to be taken out of the examination hall. Any candidate found doing so would be expelled from the examination.
- 13. A candidate who creates disturbance of any kind or changes his/her seat or is found in possession of any paper possibly of any assistance or found giving or receiving assistance or found using any other unfair means during the examination will be expelled from the examination by the Centre Superintendent/Observer whose decision shall be final.
- 14. Telecommunication equipment such as pager, cellular phone, wireless, scanner, etc., is not permitted inside the examination hall. Use of calculators is not allowed.

1.	A nanosecond is:		0			
	(A) 10^9 s.		(B) 10^{-9} s.			
	(C) 10^{-10} s.		(D) 10^{-11} s	•		
2.	Suppose $A = BC$, when dimensions L/T. Then I			ensions I	_/M and C	has the
	(A) T/M.		(B) L^2/TN	1.		
	$(C) TM/L^2$		(D) L^2T/N	1.		
2	15 A 6 0 0 1 1 A	1				
3.	If $\vec{A} = 6\hat{\imath} - 8\hat{\jmath}$ then $4\vec{A}$	nas magi			X	
	(A) 10.		(B) 20.			
	(C) 30.		(D) 40.			
4.	A car, initially at rest, t				ht line with	constant
	acceleration. The accel	eration of		m/s^2) is:		
	(A) 0.4		(B) 1.3			
	(C) 2.5	200	(D) 4.9			
5.	An object is thrown ver	rtically ur	ward. Whil	e it is risi	ng:	
	(A) its velocity and acc					
	(B) its velocity is upwa				ward.	
	(C) its velocity and acc					
	* *				wward	
	(D) its velocity is down	iwaru and	i its accelera	mon is up	waru.	
6.	In principle, a force is	measured	d by measur	ing the _		when the
	force is applied to it.					
	(A) velocity of the stan	dard kilo	gram.			
	(B) speed of the standa					
	(C) velocity of an obje					
	(D) acceleration of the		kilogram.			
	(D) decertained of the					
7.	A 1000 kg airplane me	oves in st	raight flight	at const	ant speed.	The force
	of air friction is 1800 N	V. The net	force on the	e plane is	:	
	(A) zero.		(B) 11800			
	(C) 1800 N.		(D) 9800			
8.	An object moves in a			peed. The	e work do	ne by the
	centripetal force is zero					
	(A) the displacement f					
	(B) the average force f		evolution is	zero.		
	(C) there is no friction	. 386				
	(D) the centripetal force	ce is perpe	endicular to	the veloc	ity.	
9	A kilowatt hour is a un	nit of:				
,	(A) power.		(B) energ	y/time.		
	(C) work.		(D) powe			
	(C) WOIR.		(-) I	THE PARTY OF THE P		

spring of a clock no potential ener out no kinetic ener	gy. rgy.
tial and kinetic er ential nor kinetic	
at masses have the al to their masses al to square of the al to square roots proportional to the	of their masses.
of inertia of a wh	neel about its axle does not depend upor
on of mass.	(B) mass.(D) speed of rotation.
ed to a rigid object leration. nertia.	et always tends to produce: (B) rotational equilibrium. (D) angular acceleration.
	when a force F is applied to it. The same same material but with twice the diameter wire stretches: (B) 0.5 cm. (D) 2 cm.
n an orbiting space the range of gravitutwards by centriful eleration. The acceleration as	fugal force.
comet in an ellip while it is receding when farthest from soidally with time	n the Sun.
onvenient liquid t very. d. little with temper th density.	o use in a barometer because:
automobile jack i	llustrates: (B) Pascal's principle.
	no potential energy to the notate and kinetic energy tial and kinetic energy tial and kinetic energy tial and kinetic energy the tential nor kinetic energy the alto their masses alto square of the alto square roots proportional to the of inertia of a whom of mass. The determinant of the sength

(D) Newton's third law.

(C) Hooke's law.

- 19. In simple harmonic motion, the magnitude of the acceleration is greatest when the:
 - (A) displacement is zero
 - (B) displacement is maximum.
 - (C) velocity is maximum.
 - (D) force is zero.
- 20. For a given medium, the frequency of a wave is:
 - (A) independent of wavelength.
 - (B) proportional to wavelength.
 - (C) inversely proportional to wavelength.
 - (D) proportional to the amplitude.
- 21. A source emits a sound wave of frequency f. If it were possible for a man to travel toward the source at the speed of sound, he would observe the emitted sound to have a frequency of:
 - (A) zero.

(B) f/2.

(C) 2f/3.

- (D) 2f.
- 22. A Kelvin thermometer and a Fahrenheit thermometer, both give the same reading for a certain sample. The corresponding Celsius temperature is:
 - (A) 574° C.

(B) 232° C.

(C) 301° C.

- (D) 614° C.
- 23. According to the first law of thermodynamics, applied to a gas, the increase in the internal energy during any process:
 - (A) equals the heat input minus the work done on the gas.
 - (B) equals the heat input plus the work done on the gas.
 - (C) equals the work done on the gas minus the heat input.
 - (D) is independent of the heat input.
- 24. The rate of heat flow through a slab does NOT depend upon the:
 - (A) temperature difference between opposite faces of the slab.
 - (B) thermal conductivity of the slab.
 - (C) slab thickness.
 - (D) specific heat of the slab.
- 25. The "Principle of Equipartition of Energy" states that the internal energy of a gas is shared equally:
 - (A) among the molecules.
 - (B) between kinetic and potential energy.
 - (C) among the relevant degrees of freedom.
 - (D) between temperature and pressure.
- 26. A heat engine in each cycle absorbs heat from a reservoir and does an equivalent amount of work, with no other changes. This engine violates:
 - (A) the zeroth law of thermodynamics.
 - (B) the first law of thermodynamics.
 - (C) the second law of thermodynamics.
 - (D) the third law of thermodynamics.

27. The heat capacity at constant ve	of all ideal gas of	repellus on.
(A) the temperature.		
(B) the pressure.		
(C) the volume.		
(D) the number of molecules.		
28. A 200 cm open organ pipe wavelength 200 cm. The pipe is(A) fundamental frequency.(B) first overtone.		a sound wave of
(C) second overtone.		
(D) third overtone.		
29. The rise in pitch of an approach		at increase in its:
(A) speed.	(B) amplitude.	
(C) frequency.	(D) wavelength.	
30. The internal energy of an ideal	gas depends on:	
(A) the temperature only.		
(B) the pressure only.		
(C) the volume only.		
(D) temperature, pressure and ve	olume.	
31. An electrical insulator is a mate	rial:	
(A) containing no electrons.	G	
(B) through which electrons do	and the control of the part of the control of the c	
(C) that has more electrons than		States (49)
(D) cannot be a pure chemical e	lement.	
32. An isolated point charge product point 2m away. A point at which		
(A)1 m away.	(B) 0.5 m away.	
(C) 2 m away.	(D) 4 m away.	
33. The electric field due to a unifor shell is zero:		
(A) everywhere.		
(B) nowhere.		
(C) only inside the shell.		
(D) only at the centre of the shell	11	
(b) only at the centre of the shell	King .	
34. A hollow metal sphere is char- center is:	ged to a potential V.	The potential at its
(A) 0.	(B) -V.	
(C) V.	(D) 2V.	

35. If both the plate area and the are doubled, the capacitant	he plate separation of a parallel-plate capacitor ce is:
(A) halved.	(D) 1 11 1
	(D) unchanged.
36. A cylindrical copper rod h	as resistance R. It is reformed to twice its
original length with no cha	ange of volume. Its new resistance is:
(A) R	(B) 2R
(C) 4R	(D) R/2
do this you could:	te of energy dissipation in a heating device. To
(A) double the potential di	fference keeping the resistance the same. ping the resistance the same.
(C) double the resistance k	reeping the potential difference the same.
(D) double the resistance k	ceeping the current the same.
is wired in series to a	sistor are wired in parallel and the combination 4 ohm resistor and a 10 V emf device. The
potential difference across	(B) 6.0 V
(A) 2.0 V (C) 8.0 V	(D) 10 V
	ng across the field lines. ng parallel to the field lines.
40. Solenoid 2 has twice the relength as solenoid 1. The that in the interior of 1 is:	radius and six times the number of turns per unit ratio of the magnetic field in the interior of 2 to
(A) 6.	(B) 4.
(C) 2.	(B) 4. (D) 1.
41. You push a permanent ma a loop of conducting wire the loop the current in the	agnet with its north pole away from you toward in front of you. Before the north pole enters cloop is:
(A) zero.	(B) counterclockwise.
(C) clockwise.	(D) to your left.
42. A flat coil of wire, having of a similar coil having 2	g 5 turns, has an inductance L. The inductance 0 turns is:
(A) 4L.	(B) 8L.
(C) 16L.	

43. If both the resistance and the indubled the new inductive time		circuit are
STATE OF THE STATE	(B) four times the old.	
(A) twice the old.	(D) unchanged.	
(C) half the old.	(D) unchanged.	
44. According to Gauss' law for ma (A) form closed loops.	agnetism, magnetic field	lines:
(B) start at south poles and end	at north poles.	
(C) start at north poles and end	at south poles.	
(D) start at both north and south	poles and end at infinity	·
45. When a permanent magnet is st (A) nothing happens.	rongly heated,	
(B) it loses its magnetism.		
(C) it becomes an induced magn	net	
(D) its magnetism increases.	B propos	
AC We desire to make an I Coinan	it that agaillates at 100 H	z usina an
46. We desire to make an LC circuit		z using an
inductance of 2.5H. We also ne		(D) 1 pF
(A) 1 F. (B) 1 mF.	(C) 1 μr.	(D) 1 pF.
47. In a purely capacitive circuit the	e current:	
(A) lags the voltage by one-half	f of a cycle.	
(B) lags the voltage by one-four	rth of a cycle.	
(C) leads the voltage by one-ha		
(D) leads the voltage by one-for	urth of a cycle.	
48. A sinusoidal voltage V (t) has a	an rms value of 100V. Its	maximum value is
(A) 141 V.	(B) 100 V.	
(C) 707 V.	(D) 70.7 V.	
49. Maxwell's equations predict the	at the speed of light in fro	ee space is
(A) an increasing function of fr	equency.	
(B) a decreasing function of fre	equency.	
(C) independent of frequency.		
(D) a function of the distance fr	rom the source.	
50. The electric field in unpolarize	d light:	
(A) has no direction at any time		
(B) rotates rapidly.	·.	
(C) is always parallel to the dir	rection of propagation.	
(D) changes direction randomly	v and often.	
(D) changes direction randomy	Table the min	
51. When light passes from air to g	glass, it:	
(A) bends toward the normal w	ithout changing speed.	
(B) bends toward the normal ar	nd slows down.	
	STATE OF THE PROPERTY OF THE P	

(C) bends toward the normal and speeds up.(D) bends away from the normal and speeds up.

 52. A point source is to be used with parallel light. The source should (A) as close to the mirror as poss (B) at the center of curvature. (C) midway between the center of the	be place sible. of curvat	ed: ture and the focal point.
53. Which instrument uses a single just inside the focal point?(A) Camera(C) Magnifying glass	(B) Co	mpound microscope lescope
54. Two light waves are coherent: (A) their frequencies are the same (B) their phase difference is the (C) their amplitudes are the same (D) their wavelengths are the same	same. e.	
55. The rainbow seen after a rain sh(A) refraction.(C) diffraction.	(B) int	caused by: erference. larization.
56. Which of the following electron greatest energy?(A) blue light.(C) x-rays.	(B) ye	radiations has photons with the low light.
57. Evidence for the wave nature of(A) Young's double slit experim(B) Lenz's law.(C) Thompson's measurement o(D) electron diffraction experiments	ent. f e/m.	
 58. The quantum number n is most of the electron in a hydrogen atom? (A) Energy (B) Orbital angular momentum (C) Spin angular momentum (D) Magnetic moment 		ssociated with what property of
59. An acceptor replacement atom is in its outer shell.	n silicon	might have electrons
(A) 4 (B) 5	(C)3	(D) 6
60. A beta particle is:(A) a helium nucleus.(C) any negative particle.	(B) (D)	an electron or a positron. a hydrogen atom.

Panjab University, Chandigarh BHMS-2014 ANSWERS / KEY

Subject: CHEMISTRY

1	2	3	4	5	6	7	8	9	10
С	D	Α	С	Α	D	D	Α	Α	Α
11	12	13	14	15	16	17	18	19	20
С	В	С	С	Α	Α	С	В	Α	Α
21	22	23	24	25	26	27	28	29	30
D	Α	D	С	С	Α	В	В	С	В
31	32	33	34	35	36	37	38	39	40
Α	С	В	Α	D	Α	D	Α	D	В
41	42	43	44	45	46	47	48	49	50
В	С	С	D	В	В	D	Α	В	В
51	52	53	54	55	56	57	58	59	60
Α	D	В	Α	В	С	В	С	С	D

Note: An 'X' in the key indicates that either the question is ambiguous or it has printing mistake. All candidates will be given credit for this question.

Panjab University, Chandigarh BHMS-2014 ANSWERS / KEY

Subject: PHYSICS

1 B	2 A	3 D	4 C	5 B	6 D	7 A	8 D	9 C	10 B
11	12	13	14	15	16	17	18	19	20
С	D	D	В	D	Α	D	В	В	С
21	22	23	24	25	26	27	28	29	30
D	С	В	D	С	С	D	В	С	Α
31	32	33	34	35	36	37	38	39	40
В	D	С	С	D	С	D	Α	С	Α
41	42	43	44	45	46	47	48	49	50
В	С	D	Α	В	С	D	Α	С	D
51	52	53	54	55	56	57	58	59	60
В	D	С	В	Α	С	D	Α	С	В

Note: An 'X' in the key indicates that either the question is ambiguous or it has printing mistake. All candidates will be given credit for this question.

Panjab University, Chandigarh BHMS-2014 ANSWERS / KEY

Subject: BIOLOGY

1 C	2 B	3 C	4 D	5 B	6 D	7 C	8 D	9 D	10 B
11	12	13	14	15	16	17	18	19	20
С	В	Α	С	В	Α	С	В	В	Α
21	22	23	24	25	26	27	28	29	30
D	С	Α	С	С	D	В	Α	D	Α
31	32	33	34	35	36	37	38	39	40
Α	С	D	В	Α	С	Α	В	D	В
41	42	43	44	45	46	47	48	49	50
D	В	D	В	D	С	Α	В	Α	С
51	52	53	54	55	56	57	58	59	60
В	С	В	Α	Χ	D	С	Α	В	D

Note: An 'X' in the key indicates that either the question is ambiguous or it has printing mistake. All candidates will be given credit for this question.